

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	2	"6078744".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/12 14:10
S2	0	(@ad<="20011024" or @rlad<="20011024") and (compil\$4 same ((diminishing adj return) near3 point))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/12 15:22
S3	1	(@ad<="20011024" or @rlad<="20011024") and (compil\$4 same ((break adj even) near3 point))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/12 15:24
S4	0	(break-even near8 (execution near2 time)) and compil\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/12 15:25
S5	1	(break-even near8 compil\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/12 15:56
S6	39	(break-even and compil\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/12 15:56
S7	1	S6 and (@ad<="20011024" or @rlad<="20011024") and optimi\$4 and Java and interpret\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/12 17:43
S8	17	S6 and (@ad<="20011024" or @rlad<="20011024") and optimi\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/12 16:02
S9	10	(selectiv\$4 near8 (compil\$4 and interpret\$4)) and Java	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/12 16:02

S10	3	S9 and (@ad<="20011024" or @rlad<="20011024") and optimi\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/12 16:15
S11	1	S10 and (beneficial advantageous)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/12 16:35
S12	66	((interpret\$4 and (compil\$6 or recompil\$6 or JIT\$2)) same (break-even or advantag\$3 or beneficial or hazard\$5 or profitable)) and (jvm or JIT or Just-in-Time or "virtual machine") and (alternately or selectively)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/12 16:20
S13	9	("6427234").URPN.	USPAT	OR	ON	2005/02/12 16:34
S14	3	S13 and (compil\$4 same interpret\$4)	USPAT	OR	ON	2005/02/12 16:34
S15	1	S14 and (beneficial advantageous)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/12 16:35
S16	16	("5768593" "5937195" "5970249" "5999734" "6011916" "6014518" "6044221" "6072950" "6073159" "6077313" "6078744" "6085035" "6113651" "6189141" "6223339" "6253373").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/02/12 16:49
S17	2	(bytecode and (Java or JIT)) and (((determin\$5 or selectiv\$5) adj4 (advantag\$5 or benefi\$5)) near8 (compil\$4 and interpret\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/12 16:54
S18	3	(bytecode and (Java or JIT)) and (((determin\$5 or selectiv\$5) same (advantag\$5 or benefi\$5)) near8 (compil\$4 or JIT\$2 or recompil\$4) and interpret\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/12 17:04
S19	3	S17 or S18	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/12 16:56

S20	2	"6317706".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/12 16:57
S21	2	"6317796".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/12 16:57
S22	12	("5297284" "5361350" "5442793" "5485617" "5754862" "5771384" "5774723" "5794038" "5794044" "5884316" "5907707" "5991538").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/02/12 16:58
S23	12	("5297284" "5361350" "5442793" "5485617" "5754862" "5771384" "5774723" "5794038" "5794044" "5884316" "5907707" "5991538").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/02/12 17:01
S24	36	((determin\$4 near\$5 (benefic\$5 advantag\$5 hazard\$4 unadvantag\$5 unbenefic\$4)) near\$5 (recompil\$5 interpret\$5 Jit\$2 compil\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/12 17:22
S25	5	(bytecode and (Java or JIT) and interpret\$5) and S24	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/12 17:05
S26	2	(Just-in-Time and bytecode) and S24	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/12 17:07
S27	2	"6704927".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/12 17:07
S28	3	S25 not (S27 or S26)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/12 17:08
S29	1	("6298477").URPN.	USPAT	OR	ON	2005/02/12 17:13

S30	24	("5414855" "5560013" "5835773" "5838978" "5920720" "5978585" "6078744" "6081665" "6093216" "6110226" "6115719" "6118940" "6131191" "6139199" "6141794" "6151703" "6233725" "6289504" "6289506" "6295641" "6295642" "6298477" "6324686" "6324687").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/02/12 17:16
S31	1	"5909578".pn.	US-PGPUB; USPAT; USOCR	OR	ON	2005/02/12 17:16
S32	5	("5978585").URPN.	USPAT	OR	ON	2005/02/12 17:20
S33	3	(Kessler or Ungar).in. and bytecode and (dynamic\$5 near8 (compil\$4 recompil\$4 interpret\$5))	USPAT	OR	ON	2005/02/12 17:21
S34	1	S33 and S24	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/12 17:22
S35	2	"5970249".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/12 17:38
S36	1	(hazard adj rate) and (execution near3 (program code))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/12 17:40
S37	430	(probability chance likelihood) adj2 ((stop adj execut\$5) near3 program instruction)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/12 17:42
S38	3	S37 and (@ad<="20011024" or @rlad<="20011024") and optimi\$4 and Java and interpret\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/12 17:43